



NOTES:1. USED WITH MODELS FMAM5110, FMAM5113, AND FMAM5115

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES





					orand		w Microwave
Þ	SIZE		5	.XX = ± .02 [.51] ± 1/32 .XX = ± .05 [.13] ANGLES + 1°	< -		9
A 3FKR5	CAGE CODE	ALL DIMENSIONS SI		S [5 08]	TOLERANCES:	F	
X Z S	Ĕ		() () ()	X = + 2 F5 081 EBACTIONS	NCES:	DIMENSION	
BPUCHASKI FMAMG5069F	DRAWN BY	ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.			_	CABLE LENGTH	DIMENSIONS IN [] ARE MILLIMETERS
FMAMO	ITEM NO.	INCE ONLY.	120 [3048] < L ≤ 300 [7620] = +6 [152] / -0 SHEET 300 [7620] < L = +5%L / -0	12 [305] < L ≤ 60 [1524] = +2 [51] / -0 60 [1524] < L ≤ 120 [3048] = +4 [102] / -0	L ≤ 12 [305] = +1 [25] / -0	CABLE LENGTH (L) TOLERANCES:	S
	REV	SCALE N/A	SHEET OF 1	FAIRVIEW MICROWAVE CORPORATION. ALL RIGHTS RESERVED.	DESIGN IN THIS DOCUMENT	THE INICOMATION AND	 \(\phi \) \(\phi \)
				TION.			