

AGANWANI	2/21/2022	INITIAL RELEASE	A
APPROVED	DATE	DESCRIPTION	REV.
		XEVIOIONU	





MOUNTING HOLE

NOTES:
1. CABLES 36" AND UNDER HAVE 1 LABEL CENTERED.
CABLES OVER 36" HAVE 2 LABELS, ONE AT EACH END
6.0" FROM THE FRONT OF THE CONNECTOR.

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES



TITLE

TOLERANCES: CABLE LEN						
ANCES: FRACTIONS ± 1/32 ANGES ± 1° ANGES + 1° MERISIONS SHOW TERMS TO THE TER	SIZE		X X X X X X X X X X X X X X X X X X X	× +	CN	
CABLE LENGTH (L.) TOLE CABLE LENGTH (L.) TOLE FRACTIONS 12 (305) < 1 < 60 (1524) < 1 < 120 (3048) < 1 < 120 (3048) < 1 < 60 (1624) < 1 < 120 (3048) < 1 < 300 (7620) < 1 < 60 (1624) < 1 < 120 (3048) < 1 < 300 (7620) < 1 < 60 (1624) < 1 < 100 (3048) < 1 < 300 (7620) < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 60 < 1 < 6	CAGE COI	ALL DIM	.02 [.51]	TOLERA TOLERA 1.2 [5.08] 1.02 [.51] 1.005[.13]		
	RS.	ENSIONS SI	FRACTION ± 1/32 ANGLES±		WISE SPEC	
EIROS ANE EIROS EIROS ANE EIROS EIROS ANE EIROS EIROS EIROS ANE EIROS	DRAWN BY MVFFRAPE			— Id	IFIED LEADING DIM IS IN [] ARE MILLIME	
RANCES: +1 [25] / -0 +2 [51] / -0 +4 [102] / -0 +6 [152] / -0 +5%L / -0 X.	ITEM NO.	FERENCE ONLY.	C = 300 [1324] = +2 [31] / -0 L = 120 [3048] = +4 [102] / -0 L = 300 [7620] = +6 [152] / -0 300 [7620] < L = +5%L / -0	L ≤ 12 [305] = +1 [25] / -0	ETERS TO FRANCES	
FAIRVII SHEE	A2723					
ATION AND S DOCUMENT S DOCUMENT SERTY OF PERTY O	REV A	IA	ECORPORATION. ESERVED. DF 1	TION AND DOCUMENT	THIRD-ANGLE PROJECTION THIRD-ANGLE PROJECTION	