



NOTES:
1. CABLES 36" AND UNDER HAVE 1 LABEL CENTERED.
CABLES OVER 36" HAVE 2 LABELS, ONE AT EACH END
6.0" FROM THE FRONT OF THE CONNECTOR.

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT HE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS, DIVERSION CONTERNS OF STATES IN ACCORDANCE WITH THE EXPORT



TITLE

Ĺ						
	\2742 A	FMCA2742	MVEERAPPAN	3FKR5	ω	⊳
	REV	ITEM NO.	DRAWN BY		CAGE CODE	ΖE
	SCALE N/A	NCE ONLY.	ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.	IMENSIONS SHO	ALL DI	
	SHEET OF 1	1 = 300 [7620] = +6 [152] / -0 300 [7620] < L = +5%L / -0	120 [3048] < L ≤ 300 [7620] = +6 [152] / -0 300 [7620] < L = +5%L / -0		-	3
	IS THE PROPERTY OF FAIRVIEW MICROWAVE CORPORATION. ALL RIGHTS RESERVED.	12 305 - 12 305 = +1 25 7 - 0 12 305 - 12 51 7 - 0 12 3048 = +2 51 7 - 0 1524 - 120 3048 = +4 102 7 - 0 1524 - 120 3048 = +4 102 7 - 0 1524 - 120 3048 = +4 102 7 - 0 1524 - 120 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 1205 - 12	$12 [305] < L \le 60 [1524] = +1 [25]/-0$ $12 [305] < L \le 60 [1524] = +2 [51]/-0$ $60 [1524] < L \le 120 [3048] = +4 [102]/-0$	FRACTIONS ± 1/32 ANGLES + 1°	$X = \pm .2$ [5.08] $XX = \pm .02$ [.51] $XX = \pm .005$ [13]	×××
	THE INFORMATION AND			0		
) TOLERANCES:	CABLE LENGTH (L) TOLERANCES:	TOI FRANCES:	TOLE	
	\$	300 200	DIMENSIONS IN [] ARE MILLIMETERS	DIMENSIONS	-	_

2

-Rev.D