









Pin 13 = Output
Pin 7 = TTL Option
All other Pins Ground

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES



an INFINIT® brand

TITLE

⊳	SIZE		300	× × × × × × × × × × × × × × × × × × ×		ON E
3FKR5	CAGE CODE	ALL DIM	X=±.2 [5.08] FRACTIONS XX=±.02 [.51] ± 1/32 XXX=±.005[.13] ANGLES±1° 12 [30.5] < L ≤ 50 [152.4] = +2 [51] / -0 XXX=±.005[.13] ANGLES±1° 120 [30.48] < L ≤ 300 [762.0] = +6 [152] / -0 300 [762.0] < L = +5%L/ -0		TOLERANCES	DIMENSIONS IN [] ARE MILLIMETERS
	DE	ENSIONS SHO			NCES:	
DZINN	DRAWN BY	ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.			CABLE LENGTH (L) TOLERANCES	
FMNS5000	ITEM NO.	NCE ONLY.	L ≤ 300 [7620] = +6 [152] / -0 300 [7620] < L = +5%L / -0	L ≤ 12 [305] = +1 [25] / -0 12 [305] < L ≤ 60 [1524] = +2 [51] / -0 60 [1524] < L ≤ 120 [3048] = +4 [102] / -0	L) TOLERANCES:	ART NCHE
		SCALE N/A	T TEET 1	DESIGN IN THIS DOCUMENT IS THE PROPERTY OF FAIRVIEW MICROWAVE CORPORATION ALL RIGHTS RESERVED.	THE INFORMATION AND	
σ	REV)F 1	OCUMENT RTY OF CORPORATION. SERVED.	ON AND	+ 2