



BNC Female Open Calibration Kit Component for Precision Up to 10 GHz

BNC female open calibration kit component, part number FMSC3034, from Fairview Microwave is in-stock and ships same day. This BNC precision open circuit can be used for calibration of most vector network analyzers (VNA), cable analyzers or site analyzers. Coefficients for this BNC open calibrating component are provided in the datasheet. These can be entered into most VNAs to provide the necessary corrections, thereby allowing replacement of misplaced or damaged calibration components. Precision control of the impedance and electrical length allow for OSLT analyzer calibrations over the complete frequency range of the connector interface provided.

Fairview's BNC open circuit calibration component FMSC3034 datasheet specifications and outline drawing are shown in this PDF below. Our extensive offering for RF, microwave and millimeter wave components allows designers to configure and customize their test solutions however they like. From calibration kit replacement to SOLT / OSLT VNA calibration, Fairview Microwave has the right calibration kit components to meet your needs and ship them same-day.

Features:

- Controlled Impedance
- Published Calibration Coefficients
- Replaces Damaged Calibrating Kit Components
- Controlled Electrical Length
- Precision Interfaces
- In Stock and Ready to Ship

Electrical Specifications

Description	Min	Тур	Max	Units
Frequency Range	DC		10	GHz
Impedance		50		Ohms
Phase Accuracy			±5	deg
Offset Loss		1.5		GOhm/s
Electrical Delay		56.239		ps
Capacitance				
CO		57		10 ⁻¹⁵ F
C1		1,350		10 ⁻²⁷ F/Hz
C2		275		10 ⁻³⁶ F/Hz ²
C3		-35		10 ⁻⁴⁵ F/Hz ³

Applications:

- · SOLT or OSLT Calibration
- VNA Calibration
- · Device Characterization
- De-embedding
- Replacement Calibration Kits

Mechanical Specifications

Pin Depth 0.203 to 0.208 in

Connector 1

Connector Type BNC Female Body Material and Plating Brass, Nickel

Connector 2

Environmental Specifications

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

• Values at +25 °C, sea level

Fairview Microwave 301 Leora Ln., Suite 100 Lewisville, TX 75056 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689

www.fairviewmicrowave.com sales@fairviewmicrowave.com






BNC Female Open Calibration Kit Component for Precision Up to 10 GHz from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.


For additional information on this product, please click the following link: BNC Female Open Calibration Kit Component for Precision Up to 10 GHz FMSC3034

URL: https://www.fairviewmicrowave.com/bnc-female-calibration-kit-component-open-10-ghz-fmsc3034-p.aspx









STANDARD TOLERANCES

X ±0.2 XX ±0.01 XXX ±0.005

*STANDARD TOLERANCES APPLY ONLY TO DIMENSIONS IN INCHES

FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
BNC Female Open Calibration Kit Component for Precision Up to 10 GHz	DWG NO FMSC3034			CAGE CODE 3FKR5		
	CAD FILE 01/24/2018	SHEET	SCAI	LE N/A SIZE A	GF0006	