

# SC2031 DATA SHEET

# SMA Male Open Circuit Connector Cap With 2.76 Inch Chain

RF connector dust cap SC2031 from Fairview Microwave is constructed with an SMA connection and has a male gender. This SMA male dust cap is designed as non-shorting and the body is stainless steel passivated to ensure its durability. The non-shorting SMA connector cap from Fairview Microwave is designed with a 2.76 inch chain and is in-stock for same day shipment.

RF dust caps are essential for precision connectors to protect them from dust, corrosion and other potential damage especially when using on test and measurement equipment. Some RF connector cap models are designed with a chain to prevent loss or misplacement. Internal shorting connector cap models are available and help to protect equipment from a spike in current commonly caused by ESD (Electro Static Discharge).

| Mechanical Specificati<br>Configuration<br>Connector<br>Chain Option<br>Hex Size<br>Torque | SM<br>2.7<br>5/<br>5 i | A Male Non-shorting<br>76 in Chain<br>16 inch<br>n-Ibs [0.57 Nm] | Chair  Appli  Gene  Test a |
|--|------------------------|--|----------------------------|
| Description  | Material               | Plating  | _                          |
| Body   | Passivated Stainless   | Steel  |                            |
| Gasket   | Silicone               |  |                            |
| Chain  | Brass                  | Nickel   |                            |
| Rivet  | Brass                  | Nickel   |                            |
| <b>Size</b><br>Length<br>Width<br>Weight   | 0.3                    | 33 in [8.38 mm]<br>315 in [8.00 mm]<br>008 lbs [3.63 g]          |                            |
| Environmental Specific<br>Temperature<br>Operating Range                                   |                        | 5 to +165 deg C  |                            |
| <b>Compliance Certification</b><br>document)<br>RoHS Compliant<br>REACH Compliant          | Yes                    |  | ent                        |



### **Features:**

- Protects against dust
  and contaminants
- Protects against physical damage
- Passivated Stainless Steel Body
- Chain Included

## **Applications:**

- General Purpose Laboratory Use
- Test and Measurement

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com






#### **Plotted and Other Data**

Notes:

SMA Male Open Circuit Connector Cap With 2.76 Inch Chain from Fairview Microwave is in-stock and available to ship sameday. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.


For additional information on this product, please click the following link: SMA Male Open Circuit Connector Cap With 2.76 Inch Chain SC2031

URL: https://www.fairviewmicrowave.com/sma-male-open-circuit-connector-cap-2.76-inch-chain-sc2031-p.aspx









\*STANDARD TOLERANCES APPLY ONLY TO DIMENSIONS IN INCHES

.XX

.xxx

| FAIRVIEW MICROWAVE INC.                            | NOTES:<br>1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.<br>2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.<br>3. DIMENSIONS ARE IN INCHES [mm]. |       |      |                 |        |      |
|--|---|-------|------|-----------------|--------|------|
| SMA Male Open Circuit Connector Cap With 2.76 Inch | DWG NO SC2031   |       |      | CAGE CODE 3FKR5 |        |      |
| Chain  | CAD FILE 051916   | SHEET | SCAL | E N/A           | SIZE A | 3045 |

1130 Junction Dr. #100 Allen, TX 75013 | Tel: 1-800-715-4396 / (972) 649-6678 / Fax: (972) 649-6689