



# **SMA Male Short Circuit Connector Cap**

RF connector dust cap SC2133 from Fairview Microwave is constructed with an SMA connection and has a male gender. This SMA male dust cap is designed as shorting and the body is nickel plated to ensure its durability. The shorting SMA connector cap from Fairview Microwave is in-stock for same day shipment.

RF dust caps are essential for precision connectors to protect them from dust, corrosion and other potential damage especially when using on test and measurement equipment. Some RF connector cap models are designed with a chain to prevent loss or misplacement. Internal shorting connector cap models are available and help to protect equipment from a spike in current commonly caused by ESD (Electro Static Discharge).

## **Mechanical Specifications** Configuration

Connector

SMA Male Shorting

Hex Size 5/16 inch

Torque 5 in-lbs [0.57 Nm]

Description	Material	Plating
Contact	Brass	Nickel
Body	Brass	Nickel

#### Size

0.36 in [9.14 mm] Length Width 0.315 in [8.00 mm] Weight 0.013 lbs [5.9 q]

## **Environmental Specifications**

**Temperature** 

Operating Range -65 to +165 deg C

Compliance Certifications (visit www.FairviewMicrowave.com for current

document)

**RoHS** Compliant Yes

**REACH Compliant** 12/17/2015



## Features:

- · Protects against dust and contaminants
- Protects against physical damage
- · Nickel Plated Body
- · Internally Shorted

## Applications:

- · General Purpose Laboratory Use
- Test and Measurement
- ESD Protection

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013

Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689

www.fairviewmicrowave.com sales@fairviewmicrowave.com






#### **Plotted and Other Data**

Notes:


SMA Male Short Circuit Connector Cap from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: SMA Male Short Circuit Connector Cap SC2133

URL: https://www.fairviewmicrowave.com/sma-male-short-circuit-connector-cap-18-ghz-sc2133-p.aspx







# STANDARD TOLERANCES

 $\begin{array}{ccc} .X & \pm 0.2 \\ .XX & \pm 0.1 \\ .XXX & \pm 0.05 \end{array}$ 

\*STANDARD TOLERANCES APPLY ONLY TO DIMENSIONS IN INCHES

FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES:  1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  3. DIMENSIONS ARE IN INCHES [mm].					
SMA Male Short Circuit Connector Cap	DWG NO SC2133		CAGE (		3FKR5	
	CAD FILE 051916	SHEET	SCALE	E N/A	SIZE A	3045