

SM3938 DATA SHEET

1.85mm Male to 1.85mm Male Adapter

1.85mm male to 1.85mm male adapter part number SM3938 from Fairview Microwave is in-stock and ships same day. This Fairview 1.85mm to 1.85mm adapter has a male to male gender configuration and is built of durable stainless steel. SM3938 1.85mm male to 1.85mm male adapter operates to 65 GHz. The Fairview Microwave RF adapter provides good VSWR of 1.35:1 maximum. The 1.85mm connector mates mechanically with commercially available 2.4mm connectors.

RF adapters can be used to enable connections between two connector types that would otherwise not mate. Certain RF adapter configurations can also be used to protect connectors on expensive equipment where the number of connect and disconnect cycles is high. An RF, microwave, or millimeter wave adapter is connected to the equipment and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Fairview Microwave also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Electrical Specifications

Description	Min	Тур	Max	Units	
Frequency Range	DC		65	GHz	
VSWR			1.35:1		
RF Leakage			-100	dB	

Specifications by Frequency

Description	F1	F2	F3	F4	F5	Units
Frequency Range	DC to 50	50 to 65				GHz
VSWR, Max	1.25:1	1.35:1				

Electrical Specification Notes: Values at 25°C, sea level.

Mechanical Specifications

Size

Length 0.782 in [19.86 mm]
Weight 0.0135 lbs [6.12 g]

Description	Connector 1	Connector 2	
Туре	1.85mm Male	1.85mm Male	
Polarity	Standard	Standard	
Interface Specification	IEC 169	IEC 169	
Mating Cycles	500	500	
Hex Size	5/16 inch	5/16 inch	
Mating Torque	8 to 10 in-lbs	8 to 10 in-lbs	
	[0.90 to 1.13 Nm]	[0.90 to 1.13 Nm]	



Configuration:

- 1.85mm Male Connector 1
- 1.85mm Male Connector 2
- 50 Ohm
- Straight Body Geometry

Features:

- VSWR of 1.35:1 max up to 65 GHz
- 1.85mm interface meets IEC 169
- Contact plating according to MIL-G-45204
- Gold Plated Contact

Applications:

· General Purpose Test

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013

Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com





Material Specifications

Description	Connector 1	Connector 2
Туре	1.85mm Male	1.85mm Male
Contact Material	Beryllium Copper	Beryllium Copper
Contact Plating	Gold	Gold
Contact Plating Spec.	MIL-G-45204	MIL-G-45204
Insulation Material	PEI/PCTFE	PEI/PCTFE
Body Material	Passivated Stainless Stee	el Passivated Stainless Steel
Body Plating Spec.	QQ-P-35	QQ-P-35
Coupling Nut Material	Passivated Stainless Stee	l Passivated Stainless Steel
Coupling Nut Plating Spec.	QQ-P-35	QQ-P-35

Environmental Specifications

Temperature

Operating Range


-55 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Typical Performance Data







1.85mm Male to 1.85mm Male Adapter from Fairview Microwave is in-stock and available to ship same-day. All of our RF/ microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: 1.85mm Male to 1.85mm Male Adapter SM3938


The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order

URL: https://www.fairviewmicrowave.com/1.85mm-male-1.85mm-male-adapter-sm3938-p.aspx

stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.
arising out of the use of any part or documentation.







FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
1.85mm Male to 1.85mm Male Adapter	DWG NO SM3938		C	CAGE CODE 3FKR5		
	CAD FILE 120815	SHEET	SCALE	N/A	SIZE A	150