

WR-28 Seamless Flexible Waveguide Using UG-599/U Square Cover Flange With a 26.5 GHz to 40 GHz Frequency Range

The SMW28SF005-24 is part of Fairview Microwave's family of flexible, seamless waveguides which operates in the 26.5 to 40 GHz range. The waveguide body is made of silver plated brass. It can be bent in both the E and H planes without impairing VSWR or attenuation. The waveguide is covered by a neoprene jacket which protects the waveguide and provides mechanical support.

Electrical Specifications

Description	Min	Тур	Max	Units
Frequency Range	26.5		40	GHz
VSWR		1.2:1		
Insertion Loss		0.98		dB

Mechanical Specifications

Waveguide Size
Waveguide Design
Section Length
E-Plane Minimum Bend Radius, One Time
H-Plane Minimum Bend Radius, One Time
Maximum Offset Rotation, One Time

WR-28
Seamless
24 in [609.6 mm]
0.39 in [9.91 mm]
0.59 in [14.99 mm]
45 degrees/ft

Flange 1	Waveguide	Flange 2	
Square Cover	WR-28	Square Cover	
UG-599/U		UG-599/U	
Brass	Copper	Brass	
	Silver		
Gold	Black	Gold	
	Square Cover UG-599/U Brass	Square Cover WR-28 UG-599/U Brass Copper Silver	

Compliance Certifications (visit www.FairviewMicrowave.com for current document)

Yes

RoHS Compliant

REACH Compliant 12/17/2015

Plotted and Other Data

Notes:

• Notes, Plotted Data

SMW28SF005-24 DATA SHEET



Features:

- WR-28 waveguide
- · Flexes in both the E and H plane
- 26.5 GHz to 40 GHz Frequency Range
- Brass flanges with a silver plated brass body
- Neoprene sleeve provides added protection and mechanical support

Applications:

- Allows expansion/contraction due to thermal issues.
- · Test Benches
- · Microwave Radio
- Eliminates installation problems caused by misalignment.
- Pressurized waveguide systems
- Provides vibration isolation


Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013

Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com



Typical Performance Data




WR-28 Seamless Flexible Waveguide Using UG-599/U Square Cover Flange With a 26.5 GHz to 40 GHz Frequency Range from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: WR-28 Seamless Flexible Waveguide Using UG-599/U Square Cover Flange With a 26.5 GHz to 40 GHz Frequency Range SMW28SF005-24

URL: https://www.fairviewmicrowave.com/wr-28-seamless-flexible-waveguide-ug599-square-26.5-40-ghz-smw28sf005-24-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.





FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
WR-28 Seamless Flexible Waveguide Using UG-599/U Square Cover Flange With a 26.5 GHz to 40 GHz Frequency Range	DWG NO SMW28SF005-24			CAGE CODE 3FKR5		
	CAD FILE 101315	SHEET	SCALE 1	N/A	SIZE A	2233